



Seatium



PANTHEON-K55

PANTHEON-K55



PANTHEON-K55 TECHNICAL DATASHEET

Seat and Backrest Units

Seating and back units of the seats are manufactured from polyurethane material in aluminum molds designed in accordance with human anatomy, in compliance with 50 + - 10% density and Mvss 302 fire standards.

Inside the seat and back pads, there is durable steel frame.

Tip up mechanism works with gravity without any springs.

Legs and Armrest Units

The side legs are manufactured from 40 x 60 x 1.5 mm steel tubes, and the parts fixed on floor are made of sheet steel thickness 2 mm.

Underneath the armrests, there are upholstered MDF plate with laminated fabric or vinyl.

Plastic armrests mounted on legs are durable and resistant to impact.

Seats share common arms in between.

Seats are fixed to the floor on two points for each leg.

Fabric or Vinyl

Fabric or Vinyl used for upholstery is resistant to friction, fire and UV.

Seats and back units of the seats are upholstered completely with fabric or vinyl upholstered with specified specifications.

Our products have TS EN 12727 & TSE EN 13200-4 certificates and our company has ISO 9001:2015 Quality Management System.

Seat design is protected by Utility Model Registration and Petty Patent.



ATHENS CONFERENCE HALL



PANTHEON THEATER HALL

Adress: Basp nar OSB Mah. 5. Bolge 83528 Nolu Cad. No:4/1 Seh tkam I
27620 GAZIANTEP TURKEY

Mail: export@seatium.com

Phone: +90 542 117 52 04 (WhatsApp, Viber, Telegram)

seatium.com